

## Prijslijst Bijvoet Energie














### Austria Email buffervaten en boilers 2017 versie.1

Bijvoet Energie importeert naast Austria Email tevens:

OkofEN pelletketels  
BlueBurn pelletketels  
Wodkte hout- en pelletkachels  
BRV pomptechniek  
Allg Silotec pellet opslag systemen




Art. Nr.	Omschrijving	Label	Prijs excl. Btw	Symbol-picture
<b>Tapwaterboiler - 1 spiraal Type HT ERM / 120-500 litre (10 bar) incl. isolatie</b>				
A28813	HT 120 ER, incl. Foil jacket	B	€ 694	
A22290	HT 160 ERM	C	€ 670	
A23430	HT 200 ERM	C	€ 710	
A22773	HT 300 ERM	C	€ 804	
A24290	HT 400 ERM	C	€ 917	
A24755	HT 500 ERM	C	€ 1.024	
<b>Tapwaterboiler 2 spiralen - solar storage tank; Type HT ERMR / 200 - 500 litre (10 bar)</b>				
A23320	HT 200 ERMR	C	€ 799	
A23919	HT 300 ERMR	C	€ 887	
A24482	HT 400 ERMR	C	€ 1.016	
A25927	HT 500 ERMR	C	€ 1.130	
<b>Tapwaterboiler - 1 spiraal; Type HTP ERM /160 - 500 litre (10 bar) B-Label incl. isolatie</b>				
A28803	HTP 160 ERM	B	€ 735	
A23789	HTP 200 ERM	B	€ 780	
A25655	HTP 300 ERM	B	€ 885	
A25295	HTP 400 ERM	B	€ 1.012	
A29908	HTP 500 ERM	B	€ 1.131	
<b>Tapwaterboiler - 2 spiralen; Type HTP ERMR /160 - 500 litre (10 bar) B-Label</b>				
A23330	HTP 200 ERMR	B	€ 879	
A25096	HTP 300 ERMR	B	€ 978	
A26713	HTP 400 ERMR	B	€ 1.122	
A26082	HTP 500 ERMR	B	€ 1.251	


<b>High performance floor - standing heat exchanger tank; Type HR / 160-500 litre (10 bar) incl. isolatie</b>					
A22119	HR 160	C	€	748	
A22326	HR 200	C	€	799	
A22530	HR 300	C	€	955	
A24119	HR 400	C	€	1.193	
A24528	HR 500	C	€	1.301	
<b>High - performance heat pump tanks; Type HRS / 300-500 litre (10 bar) incl. isolatie</b>					
A22329	HRS 200	C	€	1.044	
A22533	HRS 300	C	€	1.325	
A24121	HRS 400	C	€	1.525	
A24532	HRS 500	C	€	1.668	
<b>High performance floor-standing heat exchanger tank (10 bar) incl. isolatie</b>					
A31324	HRS 750	-	€	2.414	
A31526	HRS 900	-	€	2.897	
<b>Tapwaterboiler VACUTHERM Super, Type VT-S 800-1000 FRM / FRMR (operating pressure 10 bar) incl. isolatie en elec.anode (10jr garantie)</b>					
A30311	VT-S 800 FFM	-	€	1.692	
A30511	VT-S 1000 FFM	-	€	1.932	
A31322	VT-S 800 FRM	-	€	1.819	
A31522	VT-S 1000 FRM	-	€	2.101	
A31323	VT-S 800 FRMR	-	€	1.940	
A31523	VT-S 1000 FRMR	-	€	2.254	
<b>Tapwaterboiler VACUTHERM; Type VT-N 800-1000 FRM / FRMR (operating pressure 6 bar) incl. isolatie</b>					
A30310	VT-N 800 FFM	-	€	1.289	
A30510	VT-N 1000 FFM	-	€	1.492	
A31317	VT-N 800 FRM	-	€	1.414	
A31517	VT-N 1000 FRM	-	€	1.658	
A31315	VT-N 800 FRMR	-	€	1.532	
A31515	VT-N 1000 FRMR	-	€	1.808	
<b>Tapwater Special large tanks, Type VT 1500 - 3000 FFM / FRM / FRMR incl. isolatie</b>					
A30801	VT 1500 FFM	-	€	5.223	
A31902	VT 2000 FFM	-	€	6.673	
A31903	VT 2500 FFM	-	€	7.794	
A31906	VT 3000 FFM	-	€	9.689	
A31801	VT 1500 FRM	-	€	5.664	
A31901	VT 2000 FRM	-	€	7.202	
A31905	VT 2500 FRM	-	€	7.806	
A31908	VT 3000 FRM	-	€	10.271	
A31802	VT 1500 FRMR	-	€	6.246	
A31904	VT 2000 FRMR	-	€	7.467	
A31907	VT 2500 FRMR	-	€	9.036	
A31910	VT 3000 FRMR	-	€	10.714	
<b>Heat pump solar storage tank; Type WP SOL / 350-600 litre (10 bar) incl. isolatie</b>					
A24325	WP SOL 350	C	€	1.458	
A31103	WP SOL 600	-	€	1.889	
<b>Loading boiler; Type LDS / 200-500 litre (10 bar) incl. isolatie</b>					
A20311	LDS 200	C	€	837	
A20509	LDS 300	C	€	925	
A20735	LDS 400	C	€	1.068	
A20813	LDS 500	C	€	1.152	
<b>Loading boiler; Type LDS / 800-1000 litre (10 bar) incl. isolatie</b>					
A30312	LDS 800	-	€	2.032	
A30512	LDS 1000	-	€	2.322	
<b>Liggende tapwaterboiler Trapezoidal heat exchanger horizontal tank; Type LSP / 150-200 litre (10 bar) incl. isolatie</b>					
A27111	LSP 150	B	€	963	
A27465	LSP 200	C	€	1.058	
A27724	LSP 350	B	€	2.318	
A27828	LSP 500	B	€	2.498	

<b>Accessories for floor-standing tanks</b>				
A29103	Mounted thermometer charge pump controller	-	€	73
A29102	Mounted thermometer	-	€	28
A19225	Safety group 6 bar, 3/4" with shut-off valve, check and safety valve, in brass with drop cup to the SSP and floor-standing tank up to 1000 l	-	€	216
A29111	Impressed current anode retrofit package for VACUTHERM floor-standing tank, 200 to 500l incl. Reduction screw fittings	-	€	196
A29120	Impressed current anode retrofit package for VACUTHERM large water heater	-	€	169
A29123	Impressed current anode retrofit package with D180mm flange plate for floor-standing tank, incl. Seal and cover hood 180mm	-	€	286
A29644	D180mm flange plate incl. Magnesium anode D33x300 and seal, connected to HT ERR via 6/4" 180mm	-	€	50
A29605	Enamelled dummy flange 180mm	-	€	30
A29606	Enamelled dummy flange 240mm	-	€	32
A29630	Flange set D180, dummy flange 180mm with seal and insulating hood	-	€	48
A29631	Flange set D180, dummy flange 240mm with seal and insulating hood	-	€	66
94797	Flange seal for dummy (for flange 180mm)	-	€	10
110841	Flange seal for dummy (for flange 240mm)	-	€	10
A29653	Flange bolt M12x25 (for flanges 180, 240) (old Id. Nr. 190)	-	€	1
A39403	Insulating connector R1" for RWT	-	€	46
A39404	Insulating connector R3/4" for RWT	-	€	44
A29603	Boiler flange with frame, untreated, 180mm diameter / frame length 80mm	-	€	38
A29620	Boiler flange with frame, untreated, 240mm diameter / frame length 130mm	-	€	67
A29615	Intermediate flange set, reduction from 240mm / 12-hole to 180mm / - 8-hole	-	€	105
A29622	Insulating hood 180, plastic black PU, for covering dummy flanges	-	€	24
A29623	Insulating hood 240, plastic black PU, for covering dummy flanges	-	€	30
A29115	Fitted charge pump controller for sleeve pipe 1/2"-35°-95°C, 15A 240VAC, IP43, with switching button.	-	€	81
228193	Sleeve pipe G1/2" 166mm (immersion sleeve) for KR 80	-	€	15
143586	Brass screw 6/4" for fitted screw-in heater sleeve	-	€	10
A05107	Magnesium chain anode D33x807 5/4"	-	€	56
<b>Built-in heating; Type R - for enamelled internal boilers</b>				
A90225	REU 18 - 1,7	-	€	139
A90226	REU 18 - 2,0	-	€	153
A90227	REU 18 - 2,5	-	€	159
A90228	REU 18 - 3,3	-	€	165
A90229	RDU 18 - 2,5	-	€	187
A90230	RDU 18 - 3,0	-	€	193
A90231	RDU 18 - 3,8	-	€	199
A90232	RDU 18 - 5,0	-	€	205
A90233	RDU 18 - 6,0	-	€	211
A90234	RDW 18 - 7,5	-	€	217
A90235	RDW 18 - 10	-	€	235
A90236	RSW 1-12	-	€	286
A90237	RSW 1-15	-	€	318
A90238	RUL 18-2/5; switchable version for direct connection	-	€	221
A90202	RDW 2-9 U; switchable version for direct connection	-	€	441
A90204	RSW 2-24 U; switchable version for contactor controller	-	€	559
A90205	RSW 2-45 U; switchable version for contactor controller	-	€	760
<b>Built in heating; Type EBH (with flange; Incoloy/chrome - nickel - steel)</b>				
A90248	EBH 1,7 E	-	€	195
A90249	EBH 2,5 E	-	€	201
A90261	EBH-KDW1 4kW / U	-	€	219
A90262	EBH-KDW1 6kW / U	-	€	274
A90263	EBH-KDW1 8kW / U	-	€	290
A90264	EBH-KDW1 10kW / U	-	€	308
A90335	EBH-KDUV 3/6; switchable via a switch	-	€	340
A90270	EBH-RDUZ 2/6; single-circuit or twin-circuit versions	-	€	636
<b>EBH - PV</b>				
A90287	EBH PV; 6 kW	-	€	585
<b>Screw in heater; Type SH; with R 6/4" screw head and direct control - for enamelled internal boilers</b>				
A90721	SH 1,5	-	€	159




A90722	SH 2,0	-	€	161	
A90723	SH 2,5	-	€	163	
A90724	SH 3,0	-	€	167	
A90725	SH 3,8	-	€	174	
A90726	SH 4,5	-	€	176	
A90727	SH 6,0	-	€	183	
A90728	SH 7,5	-	€	205	
A90729	SH 9,0	-	€	208	




**Fitted finned tube heat exchanger** (for Vacuotherm multi-purpose floor standing tanks - for enamelled internal boilers)

A90610	RWT 1 - 110D	Version with immersion sleeve - for HT 200-300	-	€	466	
A90613	RWT 1 - 140D	Version with immersion sleeve - for HT 200-300	-	€	490	
A90503	RWT 2 - 180	HT 300 - 500, FFM + FRM + FRMR 800/1000	-	€	528	
A90615	RWT 2 - 230 D	HT 300 - 500, FFM + FRM + FRMR 800/1000	-	€	626	
A90505	RWT 2 - 360	HT 500, FFM+FRM+FRMR 800/1000	-	€	893	
A90616	RWT 2 - 310 D	HT 500, FFM+FRM+FRMR 800/1000	-	€	792	
A90506	RWT 2 - 450	FFM+FRM+FRMR 800/1000	-	€	1.085	


**Accessories for RWT**







A39403	Insulating connector R1" for RWT	-	€	46	
A39404	Insulating connector R3/4" for RWT	-	€	44	

**Buffer tank; Type PSM, PSF, PSR, PSRR** (4 bar) incl. isolatie 100mm- (140mm isolatie prijs op aanvraag)

A34111	PSM 200	B	€	767	
A34112	PSM 300	B	€	817	
A34146	PSM 500	C	€	847	
A34316	PSM 800	-	€	978	
A34345	PSM 825	-	€	1.034	
A34530	PSM 1000	-	€	1.069	
A34828	PSM 1500	-	€	1.364	
A34928	PSM 2000	-	€	1.789	
A34904	PSM 3000	-	€	3.158	
A34921	PSM 4000	-	€	4.409	
A34905	PSM 5000	-	€	5.235	
A34148	PSR 500	C	€	1.022	
A34318	PSR 800	-	€	1.183	
A34532	PSR 1000	-	€	1.312	
A34829	PSR 1500	-	€	1.791	
A34929	PSR 2000	-	€	2.141	
A34909	PSR 3000	-	€	3.392	
A34923	PSR 5000	-	€	5.579	
A34342	PSRR 800	-	€	1.354	
A34554	PSRR 1000	-	€	1.517	
A34837	PSRR 1500	-	€	2.008	
A34935	PSRR 2000	-	€	2.378	

**Accessories for buffer tank**

A39402	Corrugated connection hose for PS connections	-	€	71	
A39407	Corrugated connection hose for PS connections set (4 pcs.)	-	€	280	
A39403	Insulating connector R1"	-	€	46	
A39404	Insulating connector R3/4"	-	€	44	
A29650	Flange set PSF / D240 mm completely raw	-	€	31	

<b>Stratificatie buffer tank met warmte scheiding plaat Type PZ, PZR, PZRR (4 bar)</b>					
A34168	PZ 500	C	€	942	
A34339	PZ 800	-	€	1.087	
A34551	PZ 1000	-	€	1.169	
A34834	PZ 1500	-	€	1.636	
A34169	PZR 500	C	€	1.109	
A34340	PZR 800	-	€	1.292	
A34552	PZR 1000	-	€	1.408	
A34835	PZR 1500	-	€	1.919	
A34170	PZRR 500	C	€	1.234	
A34341	PZRR 800	-	€	1.439	
A34553	PZRR 1000	-	€	1.612	
A34836	PZRR 1500	-	€	2.121	
<b>Hot buffer tank / cold buffer tank; Type WPPS (3 bar)</b>					
A34161	WPPS 130	B	€	672	
A34195	WPPS 200	C	€	680	
A34184	WPPS 300	C	€	754	
A34185	WPPS 400	C	€	945	
A34186	WPPS 500	C	€	986	
<b>Hot buffer tank / cold buffer tank; Type PS 100 (3 bar)</b>					
A34418	PS 100	B	€	542	
<b>Tank in tank system; Type SISS / 350-1500 litre (3 bar for buffer tank, 6 bar for domestic water)</b>					
A36464	SISS 350/100	C	€	1.407	
A36425	SISS 500/150	C	€	1.435	
A36426	SISS 750/150	-	€	1.568	
A36427	SISS 900/200	-	€	1.686	
A36470	SISS 1500/250	-	€	2.316	
<b>Accessories for SISS</b>					
A90241	Fitted heating, with inactive zone, switchable 2,5kW, 5,0kW, 7,5kW	-	€	340	
A36409	Impressed current anode, SISS retrofitting set	-	€	274	
<b>Hygienebuffertank Type KWS / 500-1500 litre (4 bar for the buffer tank, 6 bar for domestic water)</b>					
<b>prijs inclusief 100mm isolatie (140mm op prijs aanvraag)</b>					
A36739	KWS 500 W (without heat exchanger)	C	€	1.795	
A36740	KWS 800 W (without heat exchanger)	-	€	2.049	
A36741	KWS 1000 W (without heat exchanger)	-	€	2.239	
A36742	KWS 1500 W (without heat exchanger)	-	€	2.590	
A36731	KWS 500 (1 heat exchanger)	C	€	1.893	
A36732	KWS 800 (1 heat exchanger)	-	€	2.209	
A36733	KWS 1000 (1 heat exchanger)	-	€	2.422	
A36734	KWS 1500 (1 heat exchanger)	-	€	2.843	
A36752	KWS 500 R2 (2 heat exchanger)	C	€	2.021	
A36736	KWS 800 R2 (2 heat exchanger)	-	€	2.346	
A36737	KWS 1000 R2 (2 heat exchanger)	-	€	2.589	
A36738	KWS 1500 R2 (2 heat exchanger)	-	€	3.314	
<b>Accessories for KWS</b>					
A36735	Circulation lance für KWS	-	€	131	
<b>Domestic hot water heat pump "Explorer Evo", 200 &amp; 270 Liter, 6 bar</b>					
A41184	Explorer Evo, 200 Liter with additional heat exchanger	A	€	2.451	
A41185	Explorer Evo, 200 Liter without additional heat exchanger	A	€	2.354	
A41186	Explorer Evo, 270 Liter with additional heat exchanger	A	€	2.607	
A41187	Explorer Evo, 270 Liter without additional heat exchanger	A	€	2.490	
<b>Compact heat pump set; Type WPA 100 - 303 E-LF (Operating pressure 6 / 10 bar)</b>					
A41159	WPA 303 E-LF (10 bar)	A	€	2.987	
<b>Compact heat pump; Type WPA 303 ECO-2 / 450 ECO (Operating pressure 10 bar)</b>					
A41189	WPA 303 ECO-2 (10 bar) <b>NEW VERSION</b>	A	€	3.381	
A41182	WPA 450 ECO (10 bar) <b>NEW VERSION</b>	A	€	4.971	